

CLAIMS

What is claimed is:

- Sub A1
5
1. A traffic light violation prediction system for a traffic signal having a current light phase comprising one of the set consisting of at least red and green, comprising:
- 10 at least one violation prediction image capturing device, said violation prediction image capturing device providing image data showing at least one vehicle approaching said traffic signal; and
- 15 a violation prediction unit, responsive to said violation prediction image capturing device and indication of said current traffic light phase, wherein said violation prediction unit generates a violation probability score for said at least one vehicle approaching said traffic signal, said violation probability score reflecting a likelihood that said at
- 20 least one vehicle will violate a red light phase of said traffic signal.
2. The system of claim 1, wherein said violation prediction image capturing device comprises at least one
- 25 video camera.
3. The system of claim 1, wherein said violation prediction image capturing device comprises at least one digital camera.

30

4. The system of claim 1, wherein said violation probability score further reflects a likelihood that said at least one vehicle has violated a red light phase of said traffic signal.

5

5. The system of claim 1, further comprising:

a violation recording unit, responsive to said violation probability score, for allocating violation recording resources to record a plurality of violation images of at least a selected one of said at least one vehicle approaching said traffic signal, said selected vehicle having a violation probability score at least as high as any other of said at least one vehicle approaching said traffic light.

15

6. The system of claim 5, wherein said violation recording resources include at least one violation image capturing device.

20 ~~7. The system of claim 5, wherein said violation recording resources include at least one violation image capturing device.~~

7 8. The system of claim 1, wherein said violation prediction unit is software executing on a processor.

25

8 9. The system of claim 1, wherein said violation prediction unit is further responsive to a time remaining in yellow light phase input.

30

0944084-1304450

9 10. The system of claim 1, wherein said violation prediction unit records a violation prediction value regarding said at least one vehicle approaching said traffic signal.

5 10 11. The system of claim 10, wherein said violation prediction value indicates a predicted violation in a first state, and indicates no predicted violation in a second state.

10 11 12. The system of claim 1, wherein said prediction unit is further responsive to a current speed of said at least one vehicle approaching said traffic intersection.

15 12 13. The system of claim 1, wherein said prediction unit is further responsive to a current acceleration of said at least one vehicle approaching said traffic intersection.

13 20 14. The system of claim 1, wherein said prediction unit is further responsive to a current position of said at least one vehicle approaching said traffic intersection.

14 25 15. The system of claim 1, wherein said prediction unit is further operable to compute a time remaining before said at least one vehicle approaching said traffic intersection enters said traffic intersection, responsive to determination of a current acceleration of said vehicle.

15 30 14 16. The system of claim 15, wherein said prediction unit is further operable to calculate a rate of deceleration required for said at least one vehicle to stop within said

time remaining before said vehicle enters said traffic intersection.

Sub A2

17. The system of claim 16. wherein said prediction unit further determines whether said required deceleration is larger than a specified deceleration value limit, and if so, updates a violation prediction value for the current frame to indicate that a violation is predicted based on the information contained in the current frame.

10

18. A method for predicting and recording a traffic light violation of a traffic signal having a current light phase comprising one of the set consisting of at least red and green, comprising:

15 providing image data showing at least one vehicle approaching said traffic signal; and
generating, responsive to said violation prediction image capturing device and indication of said current traffic light phase, a violation probability score for
20 said at least one vehicle approaching said traffic signal, said violation probability score reflecting a likelihood that said at least one vehicle will violate a red light phase of said traffic signal.

18 17
25 19. The method of claim 18, wherein said violation prediction image capturing device comprises at least one digital camera.

19 17
30 20. The method of claim 18, wherein said violation probability score further reflects a likelihood that said

76

0944084-112299

at least one vehicle has violated a red light phase of said traffic signal.

17
20 21. The method of claim 18, wherein said violation
5 prediction image capturing device comprises at least one video camera.

Sub A3
22. The method of claim 18, further comprising:
allocating violation recording resources responsive
10 to said violation probability score; and
recording a plurality of violation images of said at least one vehicle approaching said traffic signal, said vehicle having a violation probability score at least as high as a threshold score. any other of said at least one
15 vehicle approaching said traffic light.

23. The method of claim 18, further comprising:
allocating violation recording resources responsive
to said violation probability score; and
20 recording a plurality of violation images of said at least one vehicle approaching said traffic signal, said vehicle having a violation probability score at least as high any other of said at least one vehicle approaching said traffic light.

25
22
23 24. The method of claim 23, wherein said violation
recording resources include at least one violation image capturing device.

25. The method of claim 23, wherein said violation recording resources include at least one violation image capturing device.

24⁵ 26. The method of claim 17¹⁷, wherein said generating is performed by a violation prediction unit comprising software executing on a processor.

25¹⁰ 27. The method of claim 17¹⁷, wherein said generating said violation probability score is further responsive to a time remaining in yellow light phase input.

26¹⁵ 28. The method of claim 17¹⁷, further comprising recording a violation prediction regarding said at least one vehicle approaching said traffic signal.

27²⁰ 29. The method of claim 26²⁶, wherein said violation prediction indicates a predicted violation in a first state, and indicates no predicted violation in a second state.

28²⁵ 30. The method of claim 17¹⁷, further comprising determining a current speed by said violation prediction unit for at least one vehicle approaching said traffic intersection.

29²⁵ 31. The method of claim 17¹⁷, further comprising determining a current acceleration for said vehicle approaching said traffic intersection.

30³⁰ 32. The method of claim 17¹⁷, further comprising computing a time remaining before said vehicle approaching said

traffic intersection enters said traffic intersection,
responsive to determination of a current acceleration of
said vehicle.

31
5 33. The method of claim 30, further comprising
calculating, by said violation prediction unit, a
deceleration required for said vehicle to stop within said
time remaining before said vehicle enters said traffic
intersection.

10 31
32 34. The method of claim 33, further comprising:
determining, by said violation prediction unit,
whether said required deceleration is larger than a
specified deceleration value limit; and
15 updating, in the event that said deceleration is
larger than said specified deceleration value limit, a
violation prediction value for the current frame to
indicate that a violation is predicted.

ADD A4

09444034-11229